

Trutnov - St. Paka - Chlumec "leidi
os. 464.0


4640

G-345

os. ul. 505, 507

Poměr měření 1:2 (4000 scale)

plný výřez
rychlost
průřez
rozměr výřez
V-2,5 cm 30 km



TRUTNOV

VÍCE L

PILNÍKOV

CHOCEV





-----	5.8
-----	4.5
-----	0.8
-----	1.5
-----	5.7 (2.8)

-----	5.0
-----	1.9
-----	0.5
-----	5.7 (2.5)
-----	13.0

-----	1.2
-----	1.2
-----	0.7
-----	4.8 (2.5)
-----	12.6

-----	6.5
-----	0.2
-----	0.5
-----	6.7 (2.5)
-----	14.5

-----	5.6
-----	0.5
-----	0.2
-----	6.3 (2.5)
-----	13.1

HOSTINNÉ /lab

Prosečné I

Klásterská Lhota

RUNCICE /lab

Horní Brán-



+ 7,49	+ 1,2	+ 4,09		+ 2,09	- 1,12	+ 5,14	+ 11,22	+ 2,02	+ 15,09					
86	85	84	83	82	81	80	79	78	77	76	75	74	73	72



11.4
 10.4
 1.0
 13.0 (9.8)
 1.0

1.4
 0.8
 6.0
 3.8 (5.4)
 1.0

1.0
 1.0
 1.0
 1.0
 1.0

1.0
 0.4
 1.0
 1.0
 1.0

na ž

MARTINICE

ROZTOKY KRUH

Temple ž

Belouh. 7.2



+ 15.09

+ 1.3

- 1.1

+ 6.5

0%

+ 3.3

- 15.2

- 2.5

- 13.1

- 9.2

+ 3.4

70

69

68

67

66

65

64

63

62

61

60


59


58


57

56

55








Luková - Mikosrby

CHLUMEC %/kil



Norma spotřeby paliva
Trutnov - Stará Paka

(84,5)	2.647,61	
50,2	(2.448,52)	hřtkm 17.600
14,3	27,12	
18,8	34,12	uhlí 2.685 kg
1,0	50,0	
25,0	57,15	norma 155,1 kg/1000 hřtkm
(84,5)		

Stará Paka - Chlumec %/kil

(68,5)	1.589,24	
32,6	1459,66	hřtkm 17.600
14,5	25,27	
21,4	84,31	uhlí 1.878 kg
25,0	142,25	norma 104,5 kg/1000 hřtkm
(153,0)		